


	Total	Rural	Urban	Coastal	Central	Mountain	Urban Tirana
Fertility							
Total fertility rate	1.6	1.8	1.3	1.7	1.7	1.9	1.0
Ideal number of children: women / men	2.6/2.6	2.7/2.8	2.4/2.5	2.6/2.7	2.6/2.6	2.8/3.0	2.1/2.4
Median age at first sexual intercourse: women / men age 25-49	21/22	21/23	21/22	21/23	21/22	21/24	21/22
Median age at first marriage: women age 25-49 / men age 30-49	22/26	21/26	23/28	22/27	22/26	22/26	24/28
Median age at first birth: women age 25-29	23	24	23	23	23	23	25
Women age 15-19 who have begun childbearing (%)	3	4	1	3	3	4	1
Childhood mortality (deaths per 1,000 live births) 1							
Infant mortality (per 1,000 live births)	18	24	12	13	22	38	-
Under-five mortality (per 1,000 live births)	22	28	13	16	25	42	-
Family Planning							
Knows any modern method (married women, age 15-49) (%)	94	92	98	95	94	91	97
Currently using a method (married women, age 15-49) (%)	69	66	74	66	71	67	72
Currently using a modern method (married women, age 15-49) (%)	11	10	12	9	11	12	13
Total unmet need for family planning (married women 15-49) (%)	13	15	10	16	11	16	10
Maternal health							
Women who delivered a live birth in the 5 years preceding the survey who received antenatal care from a health professional (%)	97	96	99	99	97	92	100
<i>Births in the 5 years preceding the survey for which the mother has:</i>							
Delivered in a health facility (%)	97	95	99	99	95	95	100
Delivered with the assistance of a health professional (%)	99	99	100	99	99	99	100
Women having the recommended number of ANC visits (4+) (%)	67	57	82	-	-	-	-
Child health							
Children age 18-29 months who have received all the EPI vaccines (BCG, 3 doses of DPT, 3 doses of Polio, and MMR) (%)	95	94	97	95	93	100	100
Children under five with symptoms of ARI in the two weeks preceding the survey (%)	5	6	5	5	7	4	2
Children under five with symptoms of diarrhoea in the two weeks preceding the survey (%)	5	5	6	5	6	6	3
Children with symptoms of fever who sought advice or treatment from a health facility or provider (%)	71	70	73	68	82	30	-
Nutrition							
Children age 6-59 months who are anaemic (%)	17	20	13	21	16	24	7
Women age 15-49 who are anaemic (%)	19	23	15	20	21	17	12
Children under 5 who are stunted (too short for age) (%)	19	19	20	18	18	28	18
Children under 5 who are wasted (too thin for height) (%)	9	8	11	8	9	9	13
Children under 5 who are underweight (%)	5	6	5	6	4	9	4
Children under 5 who are overweight (%)	22	21	22	15	25	22	24
Women age 15-49 who are overweight or obese (BMI >25.0) (%)	39	40	39	45	41	34	29
Adult Health							
Women / Men who have at least one problem accessing health care (%)	87/80	93/84	79/77	87/70	92/86	93/85	65/81
Women who ever heard of a Pap smear (%)	49	33	67	47	40	29	88
Men who smoke cigarettes (%)	43	43	42	43	43	46	40
Women who ever heard of a mammogram (%)	77	68	88	77	73	67	93
Women/men with hypertension (%)	20/28	24/31	16/24	22/37	23/27	24/30	5/8
Woman Empowerment							
Women who earn about the same compared with husband (%)	30	24	32	32	20	27	40
Percentage of cases when Wife and husband jointly decide how the wife's cash earnings are used (%)	83	83	83	80	85	83	82
All women age 15-49 who agreed that a husband is justified in hitting or beating if she neglects the children (%)	22	29	13	22	23	29	11
HIV/AIDS							
Women/men who know that people can reduce the risk of getting the AIDS virus by using condoms every time they have sexual intercourse (%)	74/83	64/78	86/90	75/81	70/82	63/73	91/96
Men who had sexual intercourse in the past 12 months with a non-marital, non-cohabiting partner (%)	20	15	25	20	19	10	28
Women/men who have comprehensive knowledge about HIV/AIDS transmission and prevention (%)	28/20	19/12	40/30	30/20	23/15	17/12	49/41

Maternal Health Care by Region

Percent of women who have a live birth in the 5 years before the survey




The National Institute of Statistics,
Lantona Sado, Coordinator ADHS,
Street address: Blvd "Gergj Fishta" #3,
Tirana, Albania.
Telephone: +355 (4) 2222411,
Fax: +355 (4) 2228300,
Email: lsado@instat.gov.al

01

The Institute of Public Health
Elizana Petrela, Coordinator ADHS,
Street address: "Aleksander Moisiu" # 80,
Tirana, Albania.
Telephone: +355 (4) 2363195,
Fax: +355 (4) 2370058,
Email: elapetrela@ishp.gov.al


Adresa: <http://www.measuredhs.com>
Internet:

ADHS Population




Nutrition status of children under five, Albania 2000, 2005, and 2008-09

Based on NCHS/WHO reference for 2000 and 2005 and WHO standard for 2008-09




Knowledge of HIV Prevention Methods

Percent who know that the risk of getting HIV can be reduced by:



Total Fertility Rate

Births per woman




Albania



Demographic and Health Survey 2008-09


Current Use of Family Planning

Percent of married women age 15-49 using family planning



Immunisation Coverage

Percent of children age 18-29 months fully vaccinated



Childhood Mortality

Deaths per 1,000 live births

